




EQUIPMENT

PRODUCT GUIDE 2024

Fall/Winter Edition



Because So Many
Rely on You...
You Can
Rely on Us.





Discover the **Henry Schein Equipment Guide**, your trusted resource for top-of-the-line medical equipment to build the right foundation for your practice.

From cutting-edge diagnostic tools to essential exam room equipment, we provide everything you need for an efficient, well-equipped environment. Whether upgrading your facility or setting up a new office, our carefully selected offerings cover all aspects of healthcare equipment. Your patients and healthcare team will feel the difference.

Let us guide you with expert recommendations, trusted brands, and a commitment to exceptional service, ensuring your practice thrives and delivers outstanding patient care.

TABLE OF ■ CONTENTS:

Exam Room Equipment	3–6	Diagnostic Equipment.....	14–20	Instrument Processing & Sterilization	31–35
Lighting	7	Patient Monitoring.....	21–23	Cold Storage.....	36–37
Carts.....	8–9	AEDs	24	Capital Equipment.....	38–39
Mobility Aids	10	Imaging & Ultrasound	24–27		
Scales	11–13	Electrosurgery.....	28–30		



midmark®
Ritter® 225 Barrier-Free®
Examination Chair

The number of elderly and obese in the U.S. is steadily growing, and over one fifth of adults in America are disabled. Assisting patients with mobility limitations onto exam chairs has become a frequently performed task. Although caregivers working in health-care facilities are in one of the most at-risk professions for musculoskeletal disorders, little has been done to evaluate and reduce risk. The Ritter 225 is designed to offer low and high positioning heights so you can provide the best care to all patients, whether treating the elderly, expectant mothers, or patients with disabilities.

- #225-002, Without Clean Assist Roller System
 (133-0279).....ea
 #225-003, With Clean Assist Roller System
 (133-0290).....ea



midmark®
626 Barrier-Free®
Examination Chair

Many health care providers are not aware of current standards for proper blood-pressure measurement. If this isn't addressed, it leaves health systems at serious risk. 9.8% of the population is affected by overestimation of high blood-pressure errors. Multiply the cost of treatment for hypertension by the typical patient panel size and the cost of overtreatment could be as much as \$135,000 per each practicing physician. The impact of overmedication can also result in complications such as dizziness, fainting, exhaustion, or even patient falls. The Midmark 626 is the first exam chair of its kind designed to promote proper patient positioning for a more accurate blood-pressure measurement.

- Easily position patients for a better BP measurement
- Powered movement of the back section ensures the patient's back is supported
- A Barrier-Free® low chair-height allows the majority of patients, even female patients with heights in the 3rd percentile, to place their feet flat on the floor

- #626-001, Base Model
 (133-0301).....ea
 #626-002, With Heated Upholstery
 (133-0312).....ea
 #626-003, With IQ Scale
 (133-0323).....ea
 #626-004, With Heated Upholstery and Scale
 (133-0334).....ea

Brewer

Versa Exam Table

The Versa exam table provides the ability to readily and cost-effectively adapt to changing needs. When it comes to care, the Standard model provides a new standard of quality and efficiency for most practices. Easily convert to a pediatric top to safely and effectively care for children from newborns to adolescents.



- Improves the patient experience with a stable platform to support patients of all builds, and supports patient self-positioning
- Easy to connect and a removable upholstery top is available in standard adult and pediatric sizes to meet the changing needs of a facility
- Customizable to choose the options that fit within a budget
- Includes an ergonomically designed pass-through side drawer purposefully positioned at waist height to reduce bending and twisting for caregivers, while providing a generous 3.7 cubic feet of storage space

Standard.....ea

Specify:

- #1000AX-XXDX-XXX-24, Black Satin (143-6121)
 #1000AX-XXDX-XXX-31, Deep Sapphire (143-5875)
 #1000AX-XXDX-XXX-32, Blue Fog (143-5879)

With Stirrups, Pelvic Tilt, Power Cord,
 Receptacle and Heater.....ea

Specify:

- #1000AX-XSDT-RHX-31, Deep Sapphire (143-6136)
 #1000AX-XSDT-RHX-32, Blue Fog (143-6172)
 With Assist Handles, Stirrups,
 Pelvic Tilt, Power Cord.....ea

Specify:

- #1000AX-HSDT-RXX-32, Blue Fog (143-9936)
 #1000AX-HSDT-RXX-31, Deep Sapphire (143-9935)
 #1000AX-HSDT-RXX-24, Black Satin (145-3150)
 #1000PX-XXDX-XXX-32, Pediatric, Blue Fog
 (143-6065).....ea



Footstool without Handle

Chrome-plated steel footstool with 4 nonskid rubber feet.

(100-4441).....ea



midmark®
425 Air Lift Physician Stool

Designer Series

Designed for your comfort and support all day, every day. Choose the features you want. Start from the "bottom up" with the frame and seat, then add the back and armrests. Order everything you want at once, or add on later, as you prefer.

(151-4236).....ea

Specialty Equipment made for Specialty Care

MTI's intuitively-designed, ADA-compliant, and feature-rich exam room equipment will help you:

- Improve your care experience;
- Decrease caregiver fatigue;
- And gain confidence in your practice for more rewarding care.

25 MTI
CELEBRATING
25 YEARS



463 and 464 Exam/Procedure Chairs

The most feature-packed, ADA compliant* chair on the market. Standard features include ComfortSync™ coordinated footrest, EasyView™ chair-back mounted switches, removable slide-back floating armrests, push-button 333° swivel base and oval articulating headrest.

- 725-lb patient load capacity
- 4 programmable positions
- Programmable home and ADA-compliant home positions
- Power lift, recline, and tilt (no tilt on 463)
- 21" seat width
- 18¾"–37" seat height (2" lower than any other ENT chair on the market)
- Removable upholstery: seamless or designer
- Tapered backrest for easier caregiver access
- Sturdy, all-steel frame

#463-002-80, Swivel Base, No Tilt
(136-8741)..... ea

#464-002-80, Swivel Base, With Tilt
(136-8744)..... ea

*ADA compliant with transfer support accessory for easy patient ingress/egress



830 Series Procedure Chair

The highly versatile 830 Series chairs are ADA compliant in all base versions (standard, swivel, or mobile) using the transfer support, providing easy patient ingress/egress, and equal access for patients with disabilities and caregivers. All 830 chairs come equipped with SmartTech™ technology to enhance safety, reduce energy consumption, and provide smoother movement, additional memory options, and more user preferences.

- 725-lb patient load capacity
- 4 programmable positions
- Programmable home and ADA-compliant home positions
- Power lift, back, tilt, and foot extension
- Hand and foot controls
- Oval articulating headrest
- 22" or 25" seat width
- 18¾"–39" seat height
- Leg rest features knee-break with 7" power foot extension
- Optional patient arms: removable, floating (compensating) arms, or seat rail or back rail mounted arms
- Removable upholstery: seamless or designer
- Tapered backrest for easier caregiver access
- Sturdy all-steel frame
- Multiple G2 accessory options

#829-001-80, Standard Base (22" seat width)
(135-8121)..... ea

#829-002-80, Swivel Base (22" seat width)
(139-4043)..... ea

#829-003-22, Mobile Base (22" seat width)
(140-6171)..... ea

#830-001-80, Standard Base (25" seat width)
(133-8866)..... ea

#830-002-80, Swivel Base (25" seat width)
(136-9044)..... ea

#830-003-22, Mobile Base (25" seat width)
(133-9127)..... ea



The industry's only
one-touch, silent
mobility system
has arrived.



A simple turn of a
switch engages
and disengages
the EasyGlide
Mobility System.

Introducing the Brewer EasyGlide™ Mobility System.

The first to offer a one-touch, whisper-quiet mobility system, Brewer makes it possible to reconfigure and clean exam rooms quickly and with zero disruption to patients and providers. Our advanced EasyGlide Mobility System is an available option on our Access® PLUS and FLEX™ PLUS Exam Tables.

See our EasyGlide Mobility
System in action and
request a demo.



Brewer

Brewer

Access High-Low PLUS Power Exam Table

Designed to deliver unmatched comfort, convenience, and durability, this table is the ideal choice for modern clinical environments. Engineered to meet the diverse needs of both patients and healthcare professionals with advanced features like ComfortGrip® patient assist handles and ample storage options. 3-year warranty.

Key features:

- Adjustable height from 18" to 37", fully ADA Access Board compliant
- Extendable table length from 60" to 78" with 18" SafeGlide™ leg extension length
- Mayo Pass-Through Work Surface for multifunctional use
- 6 cubic feet of storage divided between a front drawer (19¾" x 19¼" x 4") and side drawers (22½" x 20¼" x 8")
- 450-lb weight capacity

#6000PLUS-PR46, Blue Fog
(147-3124)..... ea
#6000PLUS-PR57, Clamshell
(147-3138)..... ea
#6000PLUS-PR92, Gunmetal
(147-3136)..... ea



Brewer

NIGHTINGALE
AWARDS
2023



Gold Award

Award Winning Versa Pediatric Exam Table

- 500 lb weight capacity
- 4.7 cubic ft of storage
- Converts within minutes
- 5 year warranty



Dukal

Tech-Med® Upholstered Blood Drawing Chair

- High-quality chair with tool-free assembly and padded seat for ultimate patient comfort
- One control knob allows the arms to be raised and lowered effortlessly
- Optional flip-up arm can be adjusted to varying angles with a single knob
- Arms can be raised and lowered in infinite positions and rotate left or right
- Adjustable levelers on all 4 legs allow the chair to sit solidly on an uneven floor
- Vinyl is mildew-resistant, sulfide-stain resistant and static dissipative
- Weight capacity: 500 lb
- Overall dimensions: 38"H x 34"W x 28"D
- Chair dimensions: Seat height to floor: 19", inside arm width: 21", seat depth: 17", height of adjustable arm: 28"-35"

#4382-F
(116-8624).....ea



**TECHMED
SERVICES**

Mayo Stand with Mobile Base

- Chrome-plated frame with secure height adjustments from 28" to 48"
- Mobile base includes locking casters
- Removable stainless steel tray: 12½" x 18"
- Weight capacity: 11 lb
- Base width: 20"

#4365
(100-9541).....ea



**TECHMED
SERVICES**

Mayo Instrument Stand

Ideal under low-clearance units. 13" x 19" removable stainless steel tray. Adjustable from 33" to 52" high. Chrome-plated swivel casters for easy maneuverability.

#4352, Complete
(100-0589).....ea



**TECHMED
SERVICES**

Snellen Eye Test Wall Charts

Nonreflecting, matte-finish eye charts that feature brass-eyelet reinforced holes. Designed for 20-ft test distance (unless otherwise specified). Individually polybagged.

Dimensions: 22" x 11", except where noted

Snellen
(100-4836).....ea

Illiterate
(591-6940).....ea

Kindergarten
(591-7664).....ea

Snellen, Plastic
(104-3686).....ea

Pocket Size, 6⅞" x 3½"
(103-0532).....ea



Baxter

Welch Allyn Green Series™ 300 General Exam Lights

Utilizing a single white LED, the GS 300 provides a whiter, brighter light than halogen and consumes less energy. It's the perfect combination of intense light output and cool operation in a compact design. Features touchless on/off, multiple mounting options for floor space maximization, low cost of ownership due to elimination of bulb replacement and lower energy consumption, and 5-year limited warranty to include the LED light source and power supply.

With Mobile Stand

(114-2692).....ea

With Table/Wall Mount

(114-5632).....ea



Baxter

Welch Allyn Green Series™ Exam Light IV

Perfect for the OB/GYN office or for specialties that require very focused light in specific areas, the GS Exam Light IV provides you with 3 times the typical light output and features a highly flexible light pipe that is twice as long as conventional pipes. And with a compact, unobtrusive head, it ensures pinpoint accuracy and provides true tissue color rendition during an exam. Utilizing white LEDs, the GS Exam Light IV provides a whiter, brighter light than halogen and consumes less energy. 5-year limited warranty to include the LED light source and power supply only.

- One LED
- Flexible pipe
- Touchless on/off
- Easy to assemble

Light with Table/Wall Mount

(114-2547).....ea

Mobile Stand

For great office mobility and space usage. Attaches easily to unit.

(114-4177).....ea

Disposable Light Sheaths

(566-0989).....25/box



Clarus 7™ LED Exam Light

MTI's brightest exam light uses 7 LEDs and has a slightly larger 3½" light head, providing maximum illumination and operational ease. Can be used with either a caster base or floor stand. 2-year limited warranty. Physical dimensions: head diameter: 3½"; caster base height: 73½"; floor stand height: 71½"; caster base diameter: 23¾", floor stand diameter: 15".

- LED life: 40,000 hours
- Color temperature (CCT): 4,300° K
- Light intensity @ 16": 33,400 Lux
- Light intensity @ 12": 48,500 Lux
- Working distance: 16"
- Spot size at 10": 5"
- Spot size at 12": 6"
- Spot size at 16": 8"
- Spot size at 24": 11"

- CRI: 75
- Control box dimmable on light head
- Electrical input: 100–240 V, 50–60 Hz, 20W, 12V @ 1.67A
- Power cord: 3-wire grounded cord set, 8' long
- Listings: UL 153, UL 8750, CAN/CSA: C22.2, No. 12

Exam Light with Caster Base

(121-8211).....ea

Exam Light with Floor Stand

(121-8212).....ea



Baxter

Welch Allyn Green Series™ 600 Minor-Procedure Lights

Featuring 3 LEDs and a wider head, the GS 600 is designed specifically for demanding viewing conditions. Whiter, brighter, and greener: 3 white LEDs offer greater intensity. Other features include touchless power controls and an adjustable light output. It also has a disposable sheath available to help reduce the risk of infection due to cross contamination. Rugged, ergonomic design allows for improved performance and long-lasting durability. Low cost of ownership due to elimination of bulb replacement and lower energy consumption. 5-year limited warranty to include the LED light source and power supply only.

#44600, With Mobile Stand

(566-0088).....ea

#44610, With Table/Wall Mount

(566-0089).....ea



Exam Lamp

This versatile 16" mobile lamp has a flexible gooseneck design and a dome-style shade. Its adjustable arm offers full 360° flexibility, allowing the user to direct light in any direction. With a weighted steel base for stability, the height can be easily adjusted from 48" to 72" to accommodate individual preferences. The lamp has a 3-prong plug, is UL listed, and supports incandescent light bulbs up to 60 watts, ensuring both safety and convenience. Limited lifetime warranty.

#13408MB

(139-7964).....ea



MI 1000 Ceiling Surgical Light, Dual

The first in the cutting-edge MI LED Series offered by Bovie. Light emits very low heat with an output rating of 100,000 lux (10,000 foot candles) at 4,300°K color temperature. Engineered with green technology, it uses significantly less electricity than standard halogen lights. Long-life LEDs are rated at 50,000 hours, virtually eliminating the need for inconvenient bulb changes. Five intensity outputs are available and are controlled using the 5-stage dimming and on/off switch located on the sterilizable handle. 100 volts.

#XLD-DC

(117-2977).....ea



MI 750 LED Exam Light

Provides physicians with an economical and energy-efficient LED light for exam and procedure rooms. Produces bright, white light for clear and accurate visibility. Designed with unmatched lifetime spring-arm technology, 50,000-hour LEDs, and output rated at 75,000 lux with a Kelvin color temperature of 4,300°K, this light offers a high-quality lighting system that easily aligns with any practice's budget. To maintain the sterile field when necessary, the on/off and dimming switches are located on the autoclavable handle. Unit is backed by a 3-year manufacturer warranty.

#XLDP-SC

(123-8002).....ea





DETECTO

Emergency Rescue Cart

Detecto's Rescue series medical carts are manufactured with a quality steel cart body and feature a powder-coat painted finish for enhanced durability and ABS countertops that are easy to clean. The carts are equipped with either a keyed or EMG breakaway central lock that secures all drawers simultaneously for added convenience. Available with either 5 or 6 drawers.

Dimensions:

With guide handle: 43.2"H x 29.9"W x 21.3"D

Without guide handle: 41.8"H x 27.8"W x 21.3"D

Key features:

- 2 parking locks and 1 steering lock on wheels
- 360° rotation for maneuvering tight corners
- ABS bumpers on all 4 corners
- ABS countertop surface
- Auto-return rail on drawers
- Available in loaded models stocked with accessories

#RC33669RED, 5 Drawer (129-3899).....	ea
#RC333369RED, 6 Drawer (129-1293).....	ea
#RC33669RED-L, Loaded, 5 Drawer (131-1496).....	ea
#RC333369RED-L, Loaded, 6 Drawer (146-5166).....	ea



Waterloo
Healthcare Medical Carts

Crash Cart Covers

- For Unicarts
- Includes 5 bags
- 33" x 23" x 42"

#BAG-COVER5

(109-3366).....5/box



#UC320 Poly Utility Cart

Grey

- Poly-aluminum construction
- 100-lb capacity
- 3" swivel casters
- Raised lip on 4 sides of shelf
- Built-in push handles
- Some assembly required
- 30"H x 21"W x 15"D

3-Shelf Cart

(698-0322).....ea

3-Shelf Cart with Power Strip

(698-0321).....ea

3-Shelf Cart with Drawer

(698-0323).....ea



Four-Drawer Crash Cart with Specialty Accessory Package

- Breakaway lock bar
- 100 breakaway seals included
- 24" of vertical drawer space
- Stabilizing bumper frame with extended front casters and 4 corner bumpers
- 5" ball-bearing casters, all full swivel, 2 with brake
- Predrilled threaded holes for V-Series side-mounted accessories
- Ball-bearing, full-extension drawer slides
- Ships with wheels installed and ready to use
- Minimal assembly required at delivery
- Not made with natural rubber latex
- Durable, hard-baked, red powder-coat finish
- Steel construction
- Emergency package accessories include: Cardiac board and brackets, side-mounted drop shelf, IV pole, oxygen tank holder (D/E size cylinders), and powder-coated steel top rail/push handle
- 12-year warranty

#V24-4B-HSACC

(738-0008).....ea



Standard-Duty Utility Carts—Stainless Steel

Made from stainless steel, they feature 3 stain-resistant shelves, 3½" casters, and a load capacity of 300 lb.

- Durable, unitized electronically welded stainless steel angle leg design
- Reinforced, hemmed front on 22-ga stainless steel shelves
- Legs are 20-ga stainless steel
- Sound-deadening panels under shelves restrict vibrations and noise
- Bumpers on legs and handles
- Cleans and sanitizes easily
- 300-lb capacity

33"H x 18¾"W x 30¾"L

(522-7623).....ea

32½"H x 16¼"W x 27½"L

(522-0083).....ea





WEIGH. MEASURE. STORE. DISPOSE.

DETECTO is your go-to brand for all medical-grade scales, stadiometers, crash carts, glove box holders, and waste receptacles.

DETECTO®

Doing Well by Doing Good



Visit www.HenrySchein.com/HSCares
to find out more about the Calendar of Caring Programs.

**Thank you for helping us raise more than \$3 million
to help health happen!**



© 2024 Henry Schein, Inc. Not responsible for typographical errors.

Drive Is

The Choice for All Your Patient Lift Needs

Provide peace of mind & superior performance along with:



Exceptional Quality



Multiple Sling Options



Innovative Features

Engineered with the highest safety standards, our lifts offer smooth, comfortable transfers, ensuring the safety of both patients & caregivers.



← Learn more about Drive DeVilbiss Healthcare
www.drivemedical.com/lifts

drive

DeVilbiss
HEALTHCARE

©2024 Medical Depot, Inc. dba Drive DeVilbiss Healthcare, 99 Seaview Boulevard, Port Washington, NY 11050.

drive | **DeVilbiss**
HEALTHCARE

Sport Wheelchair, 18" with Fixed Arms

- Powder-coated silver-vein steel frame
- Embossed vinyl upholstery is durable, lightweight, attractive, and easy to clean
- Urethane tires mounted on composite wheels provide durability and low maintenance
- 8" front casters, adjustable in 3 positions
- Padded armrests provide additional comfort
- Carry pocket on backrest provides additional convenience
- Comes with swing-away footrests or elevating leg rests with tool-free adjustable-length riggings
- Plastic foot plates with heel loops on footrests
- Comes with push-to-lock wheel locks

#SSP218FA-SF

(116-8651).....ea



drive | **DeVilbiss**
HEALTHCARE

Bariatric Sentra EC Heavy-Duty Wheelchair

Crafted with a robust, carbon-steel frame with powder-coated, silver-vein finish for enduring appeal and slip-resistant protection. Its double-embossed vinyl upholstery offers a blend of durability, lightweight comfort, and easy maintenance. Transition effortlessly with the standard dual axle, while the urethane tires on composite wheels ensure long-lasting performance with minimal upkeep. Equipped with 8" front casters adjustable in 3 positions, and a choice of swing-away footrests or elevating leg rests with tool-free adjustable length riggings, the Sentra EC offers versatility and convenience tailored to your needs.

- Weight capacity: 450 lb
- Maintenance free, sealed, precision bearings
- Padded armrests provide additional comfort
- Aluminum foot plates
- Comes with push-to-lock wheel locks

#STD24ECDDA-ELR

(116-8252).....ea



drive | **DeVilbiss**
HEALTHCARE

Steerable Knee Walker with Basket

Model #796

- Ideal for individuals recovering from foot surgery, breaks, sprains, amputation, and ulcers of the foot
- New, 2-piece padded leg pad provides comfort
- Deluxe braking system
- Removable front basket
- Durable, steel frame with silver vein finish
- Tool-free height adjustment
- 8" casters are ideal for indoor/outdoor use

(124-2066).....ea



drive | **DeVilbiss**
HEALTHCARE

Wheelchair, 22" With Removable Arms

- Weight capacity: 450 lb
- Carbon steel frame with triple-coated chrome for an attractive, chip-proof, maintainable finish
- Double-embossed vinyl upholstery is durable, lightweight, attractive, and easy to clean
- Standard dual axle provides easy transition of seat to hemi-level
- Urethane tires mounted on composite wheels provide durability and low maintenance
- Chrome hand rims are standard
- 8" front casters, adjustable in 3 positions
- No-maintenance, sealed, precision bearings
- Padded armrests provide additional comfort
- Comes with swing-away footrests or elevating leg rests with tool-free adjustable-length riggings
- Aluminum foot plates
- Comes with push-to-lock wheel locks

#STD22ECDFA-SF

(115-5651).....ea



Choose the Perfect Platform Scale to Fit Your Needs



(141-9663)

3105KL-AM Heavy-Duty Antimicrobial Platform Scale

- High 1000 lb/ 454 kg capacity
- Intuitive functions including BMI, hold/release, reweigh, recall, zero, KG/LB, EMR connectivity, & more
- Antimicrobial protection on head, keypad, handle, handrails, body, & kickplate
- Smooth-rolling wheels and easy-to-grip handle for effortless transport
- Low-profile stable base & "live" handrails for added safety
- Optional electronic and mechanical height rod

Health o meter®
Professional

(145-6111)

502KL Digital Physician Scale with Digital Height Rod

- High 660 lb/ 300 kg capacity, accommodating patients of all sizes
- Intuitive functions such as recall, reweigh, pre-tare, and & more!
- State-of-the-art digital height rod for accurate height measurements
- Optional built-in handlebars ensure patient safety during measurements (HS Item # 137-2640)



Health o meter®
Professional

500KL Eye-Level Digital Physician Scale

High-capacity 660 lb/300 kg primary-care scale provides the optimum in quality, reliability, and ease of use.

- Functions: lb/kg conversion, lb/kg lockout, BMI, zero, tare, pre-tare, hold/release, auto zero, auto off, reweigh, recall, and Everlock®
- Low profile, nonskid platform with reinforced base for added stability
- Integrated height rod with 30"–84½" measuring range
- Wireless connectivity options available

#500KL, Scale

(106-6626).....ea

#500HB, Handlebar Accessory

(137-2640).....ea

Health o meter®
Professional



TAA-Compliant Portable Stadiometer with Carrying Case

Design features an easy-to-assemble/disassemble structure, complemented by a large, sturdy, antislip base for stability. Extended headpiece ensures comfort for patients of all sizes, while the large viewfinder offers clear and accurate measurements for ease of reading.

Measuring range: 7"–82.6"

#221HR

(139-6036).....ea



Health o meter®
Professional

Eye-Level Digital Physician Scale with Handlebars

High-capacity, 660-lb/300-kg primary-care scale that provides the optimum in quality, reliability, and ease of use.

- Functions: lb/kg Conversion, lb/kg Lock Out, BMI, Zero, Tare, Pre-tare, Hold/Release, Auto Zero, Auto Off, Reweigh, Recall, and Everlock®
- Low-profile, nonskid platform with reinforced base
- Integrated height rod with 30"–84½" measuring range
- Handlebars provide stability that many patients need without affecting the accuracy of the weight reading
- Wireless connectivity options available

#500KLHB

(138-5066).....ea

Health o meter®
Professional



Digital Glass Scale with Anti-Slip Tread and Backlight

A high-capacity scale with exclusive antislip tread, easy-to-read backlit display, and 5-second weight hold. Antislip tread provides additional traction and peace of mind.

- Functions: lb/kg Button, 5-Second Weight Hold, Auto Off, and Auto Zero
- Capacity: 440 lb/200 kg

#810KL

(138-5579).....ea

seca

Precision for health

seca 777 Physician Scale

With Eye-Level Display

The ideal solution for weighing and measuring. The oversized, low-profile, full-metal platform accommodates all body types, and the tilt-proof safety design ensures extra stability. In addition, the scale offers a built-in measuring rod with a 4"-90" measuring range, and the large, rubber-coated casters allow for convenient transportation. The scale features a USB interface for PC connectivity solutions. An 8-year warranty (4 times the industry standard) is included at no extra cost.

- Capacity: 550 lb/50 kg
- Built-in measuring rod with 4"-90" measuring range
- Robust, oversized, low-profile, full-metal platform
- Anti-tip column safety design
- Large, rubber-coated casters for easy transport
- Display is swappable to left or right side
- USB interface for PC connectivity
- 8-year warranty (4 times the industry standard)
- Optional 477 handrail (HS Item #138-4356)
- Available in kg only (HS Item #138-5120)

#7771821004

(139-2675).....ea



seca

Precision for health

#284 EMR Compatible Weigh Station

The seca 284 allows measuring and weighing to be done in one simple step. Other benefits include the high-capacity scale integrated in a stable glass platform, the heel positioner and solid headpiece. The measuring station is equipped with 2 displays, one for a direct readout of height from the headpiece, and the other, a 3-line multifunction touch display that shows height, weight, and the automatically calculated BMI.

- Capacity: 660 lb/300 kg
- Measuring and weighing in 1 step with absolute precision
- 3-line touchscreen for simultaneous weight, height, and BMI display
- High-quality glass platform with a heel positioner for exact 3-point measurement
- Display in the headpiece shows the height
- EMR-validated: transmit measured data directly to any electronic medical record system

#2841300109

(276-0007).....ea

Contains: seca



seca

Precision for health

seca Mobile Handrail Scale with Digital Height Rod

- Designed for mobile use
- Integrated digital height rod for automatic readings on the display
- Larger, durable wheels for enhanced mobility
- Robust steel handrail for stand-up assistance and added patient stability
- Spacious and hygienic glass platform made of break-resistant seca Bearclaw Glass®
- Customizable touchscreen display shows weight, height, BMI, and patient/user ID
- EMR-validated, enabling seamless data transmission directly to an EMR system
- Optional rechargeable battery pack (seca 453) provides more than 8 hours of continuous weighing and measuring
- Capacity: 800 lb/360 kg
- Graduation: 0.1 lb/50 gm
- 4-year warranty

#ONSHMITTNN

(145-9845).....ea



seca

Precision for health

seca 374 Digital Baby Scale

The seca 374 baby scale with extra-large weighing tray is perfect for babies and seated toddlers up to 44 lb. The adjustable damping function combined with the Auto-HOLD function ensures fast and precise weighing.

- Ergonomic tray with high side walls for increased safety
- Solid surfaces prevent liquid penetration, eliminating cross contamination
- Capacity: 44 lb
- Optional measuring rod (HS Item # 1165634) expands scale into a measuring station

(824-3615).....ea



seca

Precision for health

Baby Bands Head Circumference Measuring Tape

Head circumference (front side) and symmetry of the face (reverse side) can both be measured with this measuring tape of nonstretch Teflon® synthetic material. A practical dispenser (contains 15 tapes) ensures that they are stored safely with no risk of damage.

- Measuring range: 2"-23" (5 cm-59 cm)
- Graduations: 1/16"/1 mm

(276-5120).....15/pkg



STEP UP TO OBESITY

with seca® Body Composition Solutions

ARE YOU CURRENTLY OR
DO YOU PLAN TO
PRESCRIBE GLP-1
MEDICATIONS?

KEY BENEFITS -

- + **Beyond BMI** provides full segmental body composition analysis.
- + **Track the quality of weight loss** and ensure muscle mass is not being lost.
- + **Only Medically Validated Solution** that accounts for ethnicity.
- + Fits your existing workflow with a **24-second measurement**.



seca Body Composition
Analyzer
(138-8511)

CLICK OR SCAN
TO LEARN MORE!

seca Body Composition Analyzer
with Ultrasonic Height
(139-5321)



secambca.com



HENRY SCHEIN®

Digital Pediatric Table Scale

Small countertop pediatric scale with a curved design to support and protect the infant. Sta-Bilt stabilizing software ensures an accurate measure, even if the infant is moving. Large backlit LCD display measures in lb and oz. Weight capacity of 45 lb. Integrated tape measurer to determine the baby's size. Autohold feature allows the weight to be displayed, even after the baby has been taken off the scale. Integrated USB interface allows data to be transferred to a computer. Includes a 2-year warranty.
16¾" x 27¾" x 4"

(112-7156)..... ea



HENRY SCHEIN®

Mechanical Beam Scale with Height Rod

Standing mechanical beam scale with built-in height rod. Weight capacity of 450 lb (200 kg). 1-year warranty.
22¼" x 18¼" x 58¼"

(112-7157)..... ea

HENRY SCHEIN®

Digital Waist-High Scale

Compact, waist-high digital scale that features a large, backlit LCD display and shows lb or kg. Capacity up to 500 lb (225 kg). Low profile for easy access—platform is only 2½" high. Wheels for easy movement. Contains BMI calculator and clock. Includes 2-year warranty.
22" x 15" x 36"

(112-7155)..... ea




HENRY SCHEIN®

Digital Wheelchair Scale

- Single, stable platform allows scale access with wheelchair
- Easily folded to minimize footprint and moved with casters
- Individual wheelchair weight can be programmed for easy recall
- 32" x 33" x 2½", 1000-lb maximum capacity
- 2-year limited warranty

(570-0597)..... ea




HENRY SCHEIN®

Digital Electronic Eye-Height Scale

Compact, eye-height digital scale that features an integrated mechanical height rod, large backlit LCD display, and BMI calculator. Weight capacity up to 500 lb (225 kg). Low profile for easy access—platform is only 2½" high. Sta-Bilt stabilizing software ensures an accurate measure, even if the patient is moving. Autohold feature allows the weight to continue to be displayed after the patient has stepped off the scale. Integrated USB interface allows data to be transferred to a computer. Includes 2-year warranty.
22" x 15" x 53"

(112-7154)..... ea



HENRY SCHEIN®

Digital Floor Scale

Compact digital floor scale with a large backlit LCD display. Weighs accurately in both lb and kg, up to 400 lb (200 kg). Features antislip feet and a low profile for added safety. Automatically turns on. Includes 1-year warranty.
14" x 11½" x 1"

(112-7153)..... ea

Baxter

Empowering Heart Health: Connecting Diagnostic Cardiology and Vitals Devices

HOW WELL DO YOUR SYSTEMS TALK TO EACH OTHER?

With Baxter's Diagnostic Cardiology Tools and Hypertension Management Solutions, you can connect to your EMR for a streamlined workflow for your clinicians and patients.

Contact your Henry Schein representative to learn more about the potential for enhanced connectivity in action.



**SCAN HERE TO
SCHEDULE A LIVE
DEMO TODAY.**



WELCH ALLYN AND BAXTER ARE ONE TEAM

EMR



Rx only. For safe and proper use of the products mentioned herein, please refer to the Operators Manual or Instructions for Use.



- Designed for the physician-office environment with an easy-to-use, vivid touch-screen display
- More accurate hypertension diagnosis without slowing down your workflow thanks to automated blood-pressure averaging
- Improved capabilities for assessing respiratory conditions such as COPD, asthma, and community-acquired pneumonia (CAP), thanks to integrated professional-grade pulse oximetry
- Increase staff efficiency and eliminate data-entry errors with wireless transfer of vital signs directly into an EMR

Baxter

Connex® Spot Monitor

Features an easy-to-use, vivid touch-screen display and provides accurate vital signs measurement, including blood-pressure averaging, spot checking, interval monitoring and custom scoring across patient populations. Device connects wirelessly to an EMR and accurately sends vitals to the patient chart from the point of care to help improve efficiency.

7100 Base Models with Wired Connectivity	
#71XX-B, SureBP Non-invasive Blood Pressure (566-0464).....	ea
#71XT-B, SureBP, SureTemp (672-0176).....	ea
#71XE-B, SureBP, Braun Thermoscan PRO 6000 Ear Thermometer (124-6103).....	ea
#71WX-B, SureBP, Nonin SpO ₂ (672-0177).....	ea
#71WT-B, SureBP, Nonin SpO ₂ , SureTemp (566-0466).....	ea
#71WE-B, SureBP, Nonin SpO ₂ , Braun Pro6000 (124-5328).....	ea
7300 Bluetooth Connectivity Physician Office Models	
#73XT-B, SureBP, SureTemp (566-0465).....	ea
#73XE-B, SureBP, Braun PRO 6000 (124-8200).....	ea
#73WX-B, SureBP, Nonin SpO ₂ (672-0178).....	ea
#73WT-B, SurePB, Nonin SpO ₂ , SureTemp (672-0179).....	ea
#73WE-B, SureBP, Nonin SpO ₂ , Braun PRO 6000 (124-4801).....	ea
#73CT-B, SureBP, Covidien SpO ₂ , SureTemp (672-0175).....	ea
#73CE-B, SureBP, Covidien SpO ₂ , Braun PRO 6000 (125-8900).....	ea
#73MT-B, SureBP, Masimo SpO ₂ , SureTemp (566-0467).....	ea
#73ME-B SureBP, Masimo SpO ₂ , Braun PRO 6000 (124-7063).....	ea



Baxter

CP 150™ Electrocardiograph

Combines simplicity with speed using a unique touch-screen display and keyboard for improved accuracy. To meet the needs of fast-paced environments, take quick ECG readings with the touch of a button. And, with a range of advanced connectivity features, it will help improve your practice work flow by sending, managing, and sharing patient data with systems inside or outside your facility.

- 7" full-color touch-screen display for fast and easy entry of accurate patient information
- Instant-on feature powers the device up quickly
- Advanced filters for optimal ECG trace quality ensure accurate readings
- 3-lead ECG preview
- Optional adult and pediatric MEANS ECG interpretation software offers a second opinion
- Battery operation for portability
- Stores up to 100 test results on the device, which can be transferred to a USB flash drive

#CP150A-1ENB, CP 150 Interpretive, ECG, Active (120-6477).....	ea
#08265-0000, ECG Utility Cart (566-5848).....	ea
#105343, CP 150 Cable Arm and Shelf Option (120-6478).....	ea
#719653, CP 150 10-lead Patient Cable, AHA, Banana (566-0348).....	ea



Baxter

Connex® Cardio ECG

This ECG provides results that can be trusted in an easy-to-understand format designed with workflow in mind.

- Captures best 10 seconds of ECG data from memory, reducing need for repeat ECGs
- Complies with ACC, AHA, and HRS recommendations for adult and pediatric patients
- Streamlines workflow by capturing and saving an ECG in as few as 2 clicks

#CC-RXX-WAXX, PC-Based ECG with Wireless Acquisition Module (WAM) (129-6992).....	ea
#CC-RXX-AAXX, PC-Based ECG with AM12™ (Wired) Cable (129-6993).....	ea
#CC-RXX-AADX, ECG with AM12™ (Wired) Cable and DICOM Connectivity (129-6995).....	ea
#CC-RXX-WADX, ECG with Wireless Acquisition Module (WAM) and DICOM Connectivity (129-6994).....	ea

HENRY SCHEIN®

Fingertip Pulse Oximeter

- Adult and pediatric use: ideal for all specialties
- Range for SpO₂: 70%–100%
- Range for pulse: 30–235 bpm
- Dual-color LED with display modes and brightness control
- Includes pulse bar and plethysmogram
- Visual and audible low-battery alarm
- 2 AAA alkaline batteries with 30 hours of continuous use
- Electromagnetic compatibility



(900-6368).....ea

HENRY SCHEIN®

Digital Ear Thermometer

- For professional or personal use
- Instant reading results in 1 second
- Memory feature recalls last reading
- Fever alarm
- Low battery indicator
- Replaceable lithium battery
- °F or °C measuring mode
- Thermometer includes 15 disposable probe covers



Thermometer
(900-6438).....ea

Probe Covers
(900-6439)..... 150/box

HENRY SCHEIN®

Pro Pocket Aneroid Sphygmomanometer

A value-priced aneroid that meets the needs of the most demanding professionals. Precision-crafted movement is rated to 30,000 cycles and backed by a 20-year calibration warranty. Extended graduation marks eliminate indicator needle for easier viewing. Proprietary Size Guide Marking system to enhance measurement ease and prevent miscuffing. Chrome-plated brass deflation valve. Inspected, assembled, and packaged in the USA. Leatherette zippered carrying case. Not made with natural rubber latex.



- Value-priced aneroid that meets the needs of the most demanding professionals
- Precision-crafted movement is rated to 30,000 cycles and backed by a 20-year calibration warranty
- Extended graduation marks eliminate parallax error
- White numbers on contrasting black scale with red indicator needle for easier viewing
- Proprietary Size Guide Marking system enhances measurement ease and prevent miscuffing
- Chrome-plated brass deflation valve
- Inspected, assembled, and packaged in the USA
- Leatherette zippered carrying case
- Not made with natural rubber latex

Infant
(112-6073).....ea
Child
(112-6071).....ea
Adult
(112-6072).....ea
Large Adult
(112-6075).....ea
Thigh
(112-6074).....ea

HENRY SCHEIN®

Pro Series Sprague Scope

Threaded chest-piece drum of chrome-plated zinc permits the use of 5 interchangeable chest-piece fittings—an adult and pediatric diaphragm as well as 3 bells (1¼", 1", and ¾")—for complete diagnostic capability in most patients.

- Double-tube configuration on traditional model; single tube on 1-tube design
- Proprietary valve mechanism eliminates acoustic leakage
- Adjustable chrome-plated brass binaurals
- Convenient 22" tubing length
- Inspected and packaged in the USA
- Not made with natural rubber latex
- 5-year warranty
- Weight: 8 oz
- Overall length: 30"

Pro 2-Tube Sprague.....ea

Specify:

Black (900-4822) Neon Orange (900-4824)

Navy (900-4823) Royal Blue (900-4825)

Contains: 1 accessory pouch, bell chest pieces, 1 chest-piece key, 2 spare diaphragms, 1 pair of mushroom ear tips & 1 pair of silicon ear tips.

Pro 1-Tube Sprague, Black

(900-4826).....ea



HENRY SCHEIN®

Blue Series™ 777 Integrated Wall System

All models include BP Aneroid, Ear Specula Dispenser, and SureTemp Plus Thermometer.

#777-PM2WAS-HS, With PanOptic Basic LED Ophthalmoscope and MacroView Basic LED Otoscope
(570-2666).....ea

#777-PM3WAS-HS, With PanOptic Plus LED Ophthalmoscope and MacroView Plus LED Otoscope for iExaminer
(570-2665).....ea

#777-SM2WAS-HS, With Coaxial LED Ophthalmoscope and MacroView Basic LED Otoscope
(570-2667).....ea

#777-SM2WAX-HS, With Coaxial LED Ophthalmoscope, MacroView Basic LED Otoscope, BP Aneroid, and Ear Specula Dispenser (Does not include SureTemp Plus Thermometer.)
(570-2668).....ea



ChestPal Pro

ChestPal™ Pro Digital Stethoscope

Detects crackles and wheezes, critical indicators for diagnosing and treating patients effectively.

Key features:

- Empower health-care professionals to monitor and record lung sounds, including those that are challenging to detect
- Achieve 87% classification accuracy across major lung sound types
- Validated with 94% sensitivity and 97% specificity against lower respiratory tract infections in COVID-19 patients
- Share sound files with clinicians worldwide for collaborative review and analysis

#LUS110
(146-0248).....ea



Baxter

Welch Allyn Braun ThermoScan® PRO 6000 Ear Thermometer

Offers speed and accuracy for all types of patients. Exclusive ExacTemp technology provides an active user feedback system to ensure proper positioning and improved accuracy. Lightweight, simple, fast, and accurate. Preheated probe tip and sensor provide reliable temperature readings. Has automatic probe-cover eject button for quick-and-easy disposal of used probe covers. 3-year limited warranty.

- Innovative PerfecTemp™ technology adjusts for variability in probe placement
- ExacTemp™ technology detects stability of the probe during measurement
- Designed to take quick and accurate readings, to improve patient satisfaction
- 60-second pulse timer assists with manual measurement of pulse rate and respiration
- Electronic security features help prevent theft and loss
- Small or large cradles for probe cover storage that pop up for easy attachment
- Optional charging station stores 200 probe covers, with rechargeable battery
- 6-ft or 9-ft security tether options keep device attached to cradle

#06000-200, Thermometer
(124-3558).....ea
#06000-005, Probe Covers
(566-0557).....20/box



ADView 2 Diagnostic Station

The ADView 2 is the only truly modular diagnostic station that grows with your needs. Start with blood pressure and choose temperature or pulse oximetry options at the time of purchase; we'll ship your ADView 2 fully configured and ready to go. Or add new modules and accessories in the field, anytime, as you need them. Our user-expandable, connect-and-go construction makes upgrading effortless.

- Clinical-grade Advantage™ BP technology from SunTech Medical
- Contemporary, compact design with an integrated handle and easy-to-read display
- Manual blood pressure mode for real-time verification
- Customizable average mode options
- Next-generation EMR-ready with HL7 messaging for electronic data transfer
- Network-enabled with built-in Ethernet or optional Wi-Fi
- Lithium-ion power for longer-lasting battery life and a lighter weight
- Built-in memory with up to 99 charting sessions
- New Pediatric Mode to ensure accurate measurements for younger patients
- Firmware upgradable

#9005BP, ADView 2 BP
(126-9887).....ea
#9005BPOT, ADView 2 BP/Temp
(126-8542).....ea
#9005BPSP, ADView 2 BP/SpO₂
(127-1394).....ea
#9005BPSTO, ADView 2 BP/SpO₂/Temp
(126-7166).....ea
#9005TO, Temperature Module, Oral/Axillary
(127-1403).....ea
#9005TR, Temperature Module, Rectal
(127-1404).....ea
#9005S, SpO₂ Module, ChipOx
(127-1402).....ea
#9005SM, SpO₂ Module, Masimo
(127-1401).....ea
#9005W, Wall Mount with Basket
(127-1396).....ea
#9005D, Desktop Caddy
(127-1400).....ea
#9005CKA, Adult BP Cuff Kit (Adult, Small Adult, Large Adult)
(127-1472).....ea
#9005CKP, Pediatric BP Cuff Kit (Child, Small Adult, Adult)
(127-1471).....ea
#9005CK, Full BP Cuff Kit (Child, Small Adult, Adult, Large Adult, Thigh)
(127-1473).....ea



Baxter

Welch Allyn Spot™ Vision Screener

A handheld, portable device designed to help users quickly and easily detect vision issues on patients from 6 months of age through adult. Spot screens both eyes at once from a nonthreatening 3-ft distance. The touch-screen display allows for one-touch activation, simple management of patient data entry, and easy configuration for both vision screening and autorefractive applications. Features:

- Supports AAP screening guidelines for early detection of amblyopic risk factors
- Automated screening provides thorough, objective, and easy-to-understand results
- Easy to use, easy to implement, with minimal user training required
- Adequately powered for mass screening events
- Captures readings 97% of the time, helping to screen otherwise difficult patients
- Wireless printing and WiFi-enabled for easy export of data
- Manual exports available via USB port
- Uses lights and sounds to help engage children
- Convenient carrying case

#VS100S-B, Vision Screener Set
(497-0004).....ea



Proscope™ 660 and 670 Series Stethoscopes

Nurse-scopes combine lightweight design and sensitive acoustics. Similar to the 660 series, the 670 series features a combination diaphragm/bell dual-head chest piece with nonchill ring.

The 660 series features:

- Lightweight aluminum chest-piece construction
- Diaphragm-only, nurse-style chest piece
- Adjustable chrome binaurals
- Flexible, 22" 1-piece molded Y PVC tubing

660 Series.....ea
Specify:

#660N, Navy Blue (130-2573)
#660BK, Black (499-0725)

670 Series.....ea
Specify:

#670N, Navy Blue (130-4588)
#670BK, Black (102-2463)
#670G, Gray (185-8499)

MEDSOURCELABS

End-Tidal CO₂ Capnography

Breath-by-breath sampling of ETCO₂ while simultaneously delivering oxygen



MEDSOURCELABS

ETCO₂ Sampling Cannulas

These cannulas allow for a breath-by-breath sampling of ETCO₂ while simultaneously delivering oxygen.

#MS-35400A7, Adult Nasal CO₂ Sampling Cannula With O₂ Delivery, Luer Connection, 7 ft (702-0469)..... ea

#MS-35601A, Adult Nasal/Oral Dual CO₂ Sampling Cannula With O₂ Delivery, Orange Luer With Reflective Connection, Sampling Scoop, Filter, 7 ft (702-0459)..... ea

#MS-35601P, Pediatric Nasal/Oral Dual CO₂ Sampling Cannula With O₂ Delivery, Orange Luer With Reflective Connection, Sampling Scoop, Filter, 7 ft (702-2683)..... ea



MEDSOURCELABS

Non-Contact Infrared Thermometer #IR 300

Provides instant temperature readings without worry of physical contact or cross contamination. Measuring distance of 0.4"-2". Temperature displays in <2 seconds. Color digital screen changes color to indicate normal, medium, or high temperature. Automatic power-off in <18 seconds. Memory function records temperature settings for up to 50 groups on 2 AAA batteries. Batteries included. 1-year device warranty.

Model #IR 300 (137-8300)..... ea

MEDSOURCELABS

Non-Contact Infrared Thermometer #IR 200

Provides instant temperature readings without worry of physical contact or cross contamination. Measuring distance of 1.2"-2". Temperature displays within 1 second. Audible alarm if temperature is more than 100.4°F (38°C). Automatic power-off in <30 seconds. Gives up to 100,000 readings on 2 AA batteries before battery needs a replacement. Batteries included. 1-year device warranty.

Model #IR 200 (137-8299)..... ea



MEDSOURCELABS

Blood Pressure Unit

This high-quality BP unit features an accurate, no-needle stop gauge, a durable, easy-to-adjust nylon cuff with hook-and-loop fasteners and a standard pressure-release valve. It was created for the cost-conscious care provider who is not willing to compromise on accuracy and quality. Each unit is sold complete with matching carrying case.

- Range: 0-300 mmHg
- Carrying case included
- Durable nylon cuff
- Accurate, no-needle stop gauge

Blood Pressure Unit.....ea

Specify:

Infant	(499-2556)	Large Adult	(499-2489)
Pediatric	(499-2555)	Thigh	(499-5520)
Adult	(499-2488)		



MEDSOURCELABS

Value Dual-Head Stethoscope

This stethoscope features a lightweight, aluminum dual-head chest piece and delivers excellent sound quality. Flexible, 22" Y tubing, spare ear tips and diaphragm are included.

#MS-77031, Black (499-6136).....ea



The *e-sphyg*³ Digital Blood Pressure Monitor

Designed for busy professionals who value both **accuracy and affordability**, the e-sphyg 3 is the feature-packed, clinical-grade NIBP solution you've been waiting for.

- Systolic blood pressure
- Mean arterial pressure
- Diastolic blood pressure
- Irregular heartbeat
- Pulse Rate



[1x] Single measurement mode
with pulse rate and mean arterial pressure (MAP) displayed in as little as 30 seconds.

[3x] Customizable, 3-reading average mode
with individual measurement display

[Stetho] Manual mode
for auscultation with a stethoscope

**High-capacity
Rechargeable battery
STANDARD**

USB RECHARGEABLE 3.5V Portable EENT Instruments

- C sized handle with bayonet mount for easy head changes
- USB rechargeable 18650 Li-ion battery, 2600 mAh, 9.62Wh
- CNC machined from solid brass and chrome plated in black
- Adtronic electronic rheostat for infinite control
- 18-inch universal USB type C charging cord included



10 hours lighting time when paired with LED lamps • 3.5 hours lighting time when paired with Xenon lamps



Advantage[™] 6021N Automatic Digital Blood Pressure Monitor

This fully automatic upper-arm digital blood-pressure monitor is designed for home use. It measures systolic and diastolic pressure as well as pulse. Equipped with Smart Logic Modulation (SLM) technology, it ensures a gentle inflation process for optimal comfort and accuracy. The monitor features a self-adjusting, extended-range non-latex D-bar cuff that fits arms from 8.7" to 16.5".

Key features:

- Automatic inflation and deflation control
- Irregular heartbeat detector
- Stores the last 99 readings with date and time stamp for 2 users
- Automatic shut-off function
- Made without natural rubber latex
- Includes 4 AA batteries
- 5-year warranty

(122-6355).....ea



Advantage[™] 6015N Digital Wrist Blood Pressure Monitor

Featuring Smart Logic[™] technology and advanced memory capabilities, this monitor measures systolic and diastolic pressure as well as pulse. The Smart Logic[™] technology determines the ideal inflation level.

Key features:

- Pressure accuracy: +/- 3 mm Hg
- Pulse range: 40–200 BPM
- Stores the last 99 readings for 2 users
- Wrist cuff fits sizes from 5.3" to 7.7"
- Automatic shut-off feature
- Made without natural rubber latex
- Includes 2 AAA batteries and a compact storage case
- 5-year warranty

(216-1353).....ea



Advantage[™] 2200 Fingertip Pulse Oximeter

This portable device is perfect for use at home, during sports activities, or in aviation. It offers precise readings with an SpO₂ accuracy of +/- 2% and a heart rate accuracy of +/- 5 BPM.

Key features include:

- 2 adjustable display modes
- Bright red LED display
- Compatible with finger thickness of 0.31" to 0.79"
- Includes a carry lanyard and instruction booklet
- Powered by 2 AAA batteries (included)
- 1-year limited warranty

(124-6142).....ea

Contact your Henry Schein
Rep for more information!

Above the Rest



X8

X10

X12

(138-9631)	X8 Patient Monitor w/ G2
(138-9695)	X8 Patient Monitor w/ Printer
(138-9709)	X8 Patient Monitor w/ Roll Stand
(138-9710)	X8 Patient Monitor w/ Roll Stand and Printer
(138-9826)	X10 Patient Monitor w/ G2
(138-9825)	X10 Patient Monitor w/ Printer
(138-9827)	X10 Patient Monitor w/ Roll Stand
(138-9828)	X10 Patient Monitor w/ Roll Stand and Printer
(138-8976)	X12 Patient Monitor w/ G2
(138-8900)	X12 Patient Monitor w/ Printer
(138-9992)	X12 Patient Monitor w/ Roll Stand
(138-9993)	X12 Patient Monitor w/ Roll Stand and Printer

Edan helps maximize patient care through reliable purchasing and EMR solutions. Edan G2 technology is compatible with generic consumables in order to maximize efficiency across your supply chain. All monitors are out of box ready with accessories.



iM60 Patient Monitor

The iM60 monitor spans accurate monitoring across different care environments, acuity levels, and clinical requirements. All data is clearly displayed on a 10½" color touch screen while providing real-time readings on NIBP, ECG, SpO₂, respiration, temperature, and optional EtCO₂.

#iM60.P, Patient Monitor with Printer (974-0177).....	ea
#iM60.CS.P, Patient Monitor with CO ₂ and Printer (974-0180).....	ea
#iM60.P.MT, Patient Monitor with Printer and Rolling Stand (974-0185).....	ea
#iM60.CS.P.MT, Patient Monitor with CO ₂ , Printer, and Rolling Stand (974-0186).....	ea



iM70 Patient Monitor

The iM70 Patient Monitor is embedded with the latest advancements in design to provide accurate monitoring across different applications that range from general care to anesthesia monitoring. Its high-resolution, 12" touch screen clearly displays all patient data (NIBP, ECG, SpO₂, respiration, temperature, EtCO₂ optional, anesthetic agents optional).

#iM70.P, Patient Monitor with Printer (974-0178).....	ea
#iM70.CS.P, Patient Monitor with CO ₂ and Printer (974-0181).....	ea
#iM70_OR, Patient Monitor with Multi-Gas Analyzer and Printer (974-0131).....	ea
#PM.RT, Rolling Stand (127-1083).....	ea



iM80 Patient Monitor

The iM80 patient monitor is equipped with a massive, 15" color touch screen to clearly display patient readings and waveforms. Applications range from general cases to anesthesia monitoring. Parameters include: NIBP, ECG, SpO₂, respiration, temperature, EtCO₂ optional, anesthetic agents optional.

#iM80.P, Patient Monitor with Printer (974-0179).....	ea
#iM80.CS.P, Patient Monitor with CO ₂ and Printer (974-0182).....	ea
#iM80_OR, Patient Monitor with Multi-Gas Analyzer and Printer (974-0135).....	ea
#IM80.RT, Rolling Stand (127-1139).....	ea



SIX HEALTH INDICATORS. ONE HANDHELD SOLUTION.

Rad-G® with Temperature

- > Measures multiple key health indicators in a single, rugged, portable device
- > Leverages the same technology trusted by hospitals (Masimo SET®) for accurate monitoring on the go, with an integrated non-contact temperature sensor



Oxygen Saturation



Pulse Rate




Perfusion Index



Pleth Variability Index



Respiration Rate from the Pleth




Temperature

Caution: Federal (USA) law restricts this device to sale by or on the order of a physician. See instructions for use for full prescribing information, including indications, contraindications, warnings, and precautions.

PLCO-006965/PLMM-12507A-0823 PLLT-12038A
© 2024 Masimo Corporation. All rights reserved.



To learn more, visit
masimo.com/rad-g-temperature



Masimo Set® LNCS® Sensors and Cables

LNCS, or low-noise cabled sensors, are compatible with Masimo SET® pulse oximeters and Nellcor sensor-compatible instruments without OxiMax®.

#1863, LNCS DC-I Adult Reusable Sensor (114-1951).....	ea
#2653, LNCS DBI, Adult, Soft, 3 ft (499-9823).....	ea
#1864, LNCS DCIP Pediatric Reusable Sensor (116-0986).....	ea
#1859, LNCS Adtx Adult Sensor (114-1911).....	20/box
#2317, LNCS Adtx3, Adult, 3 ft (700-1279).....	20/box

#1860, LNCS Pdtx Pediatric Sensor (499-6226).....	20/box
#2318, LNCS Pdtx3, Pediatric, 3 ft (700-1280).....	20/box
#2918, LNCS E1®, Adult, Ear, 3 ft (700-1785).....	10/box
LNCS® Disposable, Adhesive SpO2 Sensors with Replacement Tape	
#2328, LNCS, Infant, 18" (116-0769).....	20/box
#2319, LNCS, Infant3, 3 ft (119-3255).....	20/box
#2329, LNCS Neo-L Neonatal Sensor (116-0770).....	20/box
#2320, LNCS, Neonatal/Adult, 3 ft (119-1696).....	20/box
LNCS® RED 20-Pin Patient Cables for Use with Masimo rainbow® SET® Devices	
#2055, Red LNC-04 LNCS Patient Cable, 4 ft (114-5834).....	ea
LNC Patient Cables for Use with Masimo SET® Devices	
#2364, LNC1, 1 ft (125-7805).....	ea
#2017, LNC-4 LNCS Patient Cable (700-1281).....	ea



Rad-57® Handheld Pulse CO-Oximeter®



#9216-U, Rad-57®, SpO2 Only (700-0668).....	ea
#3734, Rad-57® Kit with SpCO® Option, Adult Sensor (700-1444).....	ea
#3735, Rad-57® Kit with SpCO® Option (700-1303).....	ea
#3736, Rad-57® with SpCO® and SpMet® Options (700-1308).....	ea
#2406, rainbow RC4, 4 ft (118-6479).....	ea
rainbow® Reusable Sensors for rainbow® Devices (SpO2, SpCO®/SpMet®)	
#2696, rainbow DCI, Adult, 3 ft (700-1273).....	ea
#2697, rainbow DCIP, Pediatric, 3 ft (499-9933).....	ea

Mindray Ambulatory Care Solutions

www.mindray.com

Ambulatory Surgery Center and Clinic



The **A4 Advantage** complements clinical workflow with customizable ventilation capabilities and an intuitive touchscreen user-interface. It is well-suited for ambulatory surgery centers and offers outstanding functionality in a comprehensive, cost-effective anesthesia delivery system.

All products offer an industry-leading 3-Year Warranty

To learn more about our entire portfolio of innovative solutions, contact your local Henry Schein Medical representative, or visit www.henryschein.com/medical.



ePM 10M/12M continuous, multi-parameter patient monitors are ideally suited for the ambulatory surgery center where flexibility, efficiency, and value are essential.



VS8 is a reliable, easy-to-use vital signs monitor ideal for **spot check** vitals in an office setting. Offering **fast** new TrueTemp and True BP configurations.

mindray
healthcare within reach

mindray

ePM 10A Configured Patient Monitor

Exceptional user interface and enhanced parameter functionality, delivering a monitoring solution to fit multiple care environments. Immediate and measurable benefits of the smartphone-like user interface that delivers 98% of all common monitoring functions with just 2 gestures, reducing time clinicians spend navigating monitor functions, and more time on what matters most: patient care. Advanced monitoring options include 3- and 5-lead ECG, SpO₂, NIBP, respiration, and temperature supporting multiple clinical workflows. ePM 10A has a compact, ergonomic design that is perfectly suited for healthcare facilities managing a steady flow of patients daily. Add optional CO₂ capability to aid clinicians to identify signs of patient deterioration due to respiratory distress. Manufactured with industry-leading plastics that stand up to the most stringent medical-grade cleaners. The concealed grab-and-go handle eliminates hard-to-clean crevices and eases clinical workflow while on the move. Flexible mounting options for bedside and transport.

• Dimensions: 10.6" x 9.9" x 6.3"

• Weight: 8.8 Lb.

• Warranty: 3 years

Integrated

Sidestream CO₂, Recorder.....Ea.

Specify:

Masimo SpO₂ (139-2003) Nellcor SpO₂ (139-2005)

Recorder.....Ea.

Specify:

Masimo SpO₂ (139-1920) Nellcor SpO₂ (139-1927)

mindray

ePM 12MA Patient Monitor

Exceptional user interface and enhanced parameter functionality, delivering a monitoring solution to fit multiple care environments. Immediate and measurable benefits of the smartphone-like user interface that delivers 98% of all common monitoring functions with just 2 gestures, reducing time clinicians spend navigating monitor functions, and more time on what matters most: patient care. Advanced monitoring options are integrated: 3- and 5-lead ECG, SpO₂, NIBP, respiration, and temperature supporting multiple clinical workflows. The ePM 12MA features a semimodular design with a plug-and-play module structure that adds monitoring functions such as CO₂ and multigas, where and when needed. The 12MA eGM multigas module automatically identifies and measures the inspired and expired values of O₂, CO₂, N₂O and 5 anesthetic agents, providing a compact, yet comprehensive OR monitoring solution. Manufactured with industry-leading plastics that stand up to the most stringent medical-grade cleaners. Concealed grab-and-go handle eliminates hard-to-clean crevices and eases clinical workflow while on the move. Flexible mounting options for bedside and transport.

• Dimensions: 12.2" x 11.4" x 6.7"

• Weight: 10.6 Lb.

• Warranty: 3 years

Semi-Configured/Modular.....Ea.

Specify:

Masimo SpO₂ (139-2126) Nellcor SpO₂ (139-2128)

ePM AG Module

(139-3276).....Ea.

CO₂ Module Adult/Pediatric

(137-8484).....Ea.



ZOLL®

ZOLL Medical's interactive AEDs guide you through the process of performing high-quality CPR with voice, text, and image prompts. Rigorous, automatic self-testing ensures they are always ready. Each AED has unique features to provide the best solution for your needs.



AED Plus®

- * Real CPR Help® technology
- * Industry leading five-year battery and pad life
- * One-piece pad design

(866-7559) Semi-Automatic Unit

Package includes: AED, electrodes, batteries, carry case.



Powerheart® G5 AED

- * Intellisense® CPR Feedback (ICPR)
- * Non-polarized pads (can be placed in either position)
- * Dual language functionality

(139-5101) Semi-Automatic Unit

Package includes: AED, electrodes, battery.



ZOLL R Series®

- * Professional defibrillator/monitor
- * OneStep Complete™ electrodes with integrated three-lead and Real CPR Help® technology

(127-9979) Professional Defibrillator

Package includes: Monitor/defibrillator, battery, 2 sets of OneStep electrodes.

ZOLL®

ZOLL AED Plus®

Bringing Lifesaving Defibrillation to Everyone

The only AED with CPR feedback and an ECG waveform. By supporting CPR as well as defibrillation, this device can help every unresponsive victim. Features Real CPR Help®, a tool that is able to actually see what user is doing and provides audio and visual prompts to help them do it with confidence and clarity.

- Provides a one-piece electrode for accurate placement
- Uses consumer lithium batteries that are easy to replace, long-lasting, and inexpensive

Semi-Automatic Unit

(866-7559).....ea

Contains: AED, electrodes, batteries, carry case, ECG, wall-mount bracket & operator's guide.

Fully Automatic Unit

(119-7910).....ea

Contains: AED, electrodes, batteries, carry case, ECG, wall-mount bracket & operator's guide.

CPR-D padz®—Adult Defibrillator Pad

(253-2611).....ea

Pedi padz® II—Pediatric Electrode Pad

(203-7054).....ea

Type 123 Lithium Batteries

(610-4769).....10/pkg

Soft Carrying Case

(106-1937).....ea

3D Wall Sign

(110-5384).....ea

Wall Cabinet

(108-7520).....ea

AED Plus Simulator

(499-7385).....ea



ZOLL®

Powerheart G5 AED

The Powerheart® G5 AED with Intellisense™ CPR provides corrective feedback to ensure delivery of high-quality compressions. One-button dual-language functionality and comprehensive self-tests give rescuers the confidence to act.

- Intellisense™ CPR Feedback provides real-time voice and text corrective prompts for CPR quality
- Rescue Ready® conducts regular, automatic self-tests on pads, battery, and internal circuitry
- RescueCoach™ guides users through each critical step of the rescue with user-paced voice/text prompts
- Dual language change from primary to secondary language in the push of a button

#G5S80C-S, Semi-Automatic

(139-5101).....ea

#G5A80C-S, Fully Automatic

(139-5102).....ea



GE HealthCare Patient Care Solutions

Anesthesia

Carestation 620

Compact
Smart
Simple
Familiar



Carestation 650

Compact
Smart
Simple
Familiar



Contact Us

For more product information or to reach your local rep, please click the QR link to the right.



Monitoring

Portrait VSM

Care with
Confidence



B105 / B125 / B155

Simple, Durable, Versatile



Maternal Infant Care

Corometrics 170



NST Fetal Monitor



Bilisoft

Phototherapy
System



Cardiology

MAC 5 / MAC 5 Lite

Simple
Precise
Secure



MAC 7

Intuitive
Connected
Secure




MAC VU360

Smart
Integrated
Secure



CASE Stress

Clinical Excellence
Signal Quality
Seamless Workflow





HENRY SCHEIN®

Clear Ultrasound Gel

Multipurpose, hypoallergenic, medium-viscosity gel is clear, dye-free, and bacteriostatic for patient satisfaction. It is also an excellent conductive agent with superior lubricating and clinical features, making it suitable for the most common professional diagnostic and imaging procedures. For use in therapeutic ultrasound, diagnostic imaging, and other external procedures that require a thick medium with excellent lubricating and glide characteristics. Will spread evenly without running or drying under standard clinical applications.

8½-oz Bottle, Clear
(900-4352).....ea
5-liter Bottle, Clear
(900-4353).....ea



HENRY SCHEIN®

Blue Ultrasound Gel

Multipurpose, hypoallergenic, medium-viscosity ultrasound gel that is bacteriostatic for patient satisfaction. Excellent conductive agent with superior lubricating and clinical features for the most common professional diagnostic and imaging procedures. Simple operation and disposal. Long shelf life.

8½-oz Bottle, Blue
(900-4094).....ea
5-liter Bottle, Blue
(900-4095).....ea



PARKER LABORATORIES, INC.

Aquasonic® 100

60-g Tube, Blue
(100-7634).....ea
0.25-liter Bottle, Blue
(101-1042).....ea
1-liter Bottle with Dispenser, Blue
(100-5242).....ea
5-liter SONICPAC® with Refillable Dispenser, Blue
(100-1833).....ea



GE HealthCare

Vscan Extend* R2 Dual Probe DICOM Handheld Ultrasound

A general-purpose diagnostic ultrasound imaging system that can enable qualified and trained health care professionals to visualize and measure anatomical structures and fluid. Its pocket-sized portability and simplified user interface enable integration into examination and training sessions. Information can be used for basic or focused assessments, procedural guidance, and in conjunction with other medical data for clinical diagnostic purposes during routine periodic monitoring and triage assessments for adult and pediatric patients. Unit supports applications for cardiac, abdominal, renal, obstetrics and gynecology, urology, fetal, adult cephalic, peripheral vascular imaging (arteries, veins, lower extremity, and carotid), small organs including thyroid and musculoskeletal (long bone, hip, shoulder, elbow, and knee joints), evaluation of presence of fluid, thoracic/lung (pleural motion/sliding and line artifacts), pediatrics, imaging guidance for needle/catheter placement (paracentesis, pericardiocentesis, thoracentesis, and amniocentesis), and procedure guidance for arterial or venous vessels (central lines and upper extremity). DICOM** configuration provides the ability to export images wirelessly to DICOM servers or to shared Windows*** network folders, along with wireless access to the GE Marketplace for download and installation of Vscan Extend apps. It also allows the transfer of images or videos via USB cable connection to a PC. The product is complemented with a Vscan* web portal, including online access to product and clinical information. In some countries, 1–60-gm bottle of gel may also be included in the standard configuration.



GE HealthCare

Vscan Air™

This wireless, handheld ultrasound system enables whole-body scanning and delivers crystal-clear images.

- The power of a high-performance ultrasound machine in a small, lightweight wireless solution
- Optimized for the most common adult and pediatric physical exams to support a broad range of applications
- The dual probe's 2-sided design allows for both shallow and deep exams

#H8031VA, Vscan Air Base Package
(140-0608).....ea
#H45611AG, Vscan Air Protective Carrying Case
(140-0615).....ea



#H8038VP, DICOM Base Package

(133-4462).....ea
Contains: 1 control unit with standard components, 1 global AC adapter with interchangeable region-specific plugs, 1 USB cable, 2 rechargeable batteries, 1 external battery charger, 2 micro-SD memory cards (for potential service needs only), 1 soft case & 1-hour session of clinical applications training to be provided via telepresence.

#H8038VF, DICOM POCUS Focus Package
(133-4461).....ea

Contains: 1 control unit with standard components, 1 global AC adapter with interchangeable region-specific plugs, 1 USB cable, 2 rechargeable batteries, 1 external battery charger, 2 micro-SD memory cards (for potential service needs only), 1 soft case, 1-hour session of clinical applications training to be provided via telepresence & 1 subscription to the Point of Care Ultrasound FocusClass.


#H8038VS, DICOM with SonoSim 365 Package
(133-4464).....ea


Contains: 1 control unit with standard components, 1 global AC adapter with interchangeable region-specific plugs, 1 USB cable, 2 rechargeable batteries, 1 external battery charger, 2 micro-SD memory cards (for potential service needs only), 1 soft case, 1-hour session of remote clinical applications training & 1 SonoSim 365 for GE Healthcare training solution.

*Vscan Extend and Vscan are trademarks of General Electric Company.


**DICOM is the registered trademark of the National Electrical Manufacturers Association for its standards publications relating to digital communications of medical information.


***Windows is a registered trademark of Microsoft Corporation in the United States and/or other countries.




 **Butterfly™**

Meet the iQ3.™

**Best-in-class
image clarity**

**Advanced
imaging tools**

**User-centric
ergonomics**

With iQ3, diagnosing patients becomes a more intuitive process, allowing you to focus on what matters most: **delivering exceptional care.**

“I am a heavy user of POCUS, and have fully integrated it into my examinations and daily workflow. In this short time, I have concluded that the iQ3 is a game changer.”

*Steve Erickson, MD FAAFP RMSK, Family Medicine Physician**

*iQ3 provided by Butterfly.
980-24281-00 Rev A

Item (146-7168)
Butterfly iQ3 All-In Bundle



Butterfly iQ+

The world's first and only handheld, single-probe, whole-body ultrasound system powered by Ultrasound-on-Chip™ technology. Designed to make conducting an ultrasound very easy. Simply connect the probe to a compatible iOS or Android device, select from 20+ presets in seconds with the swipe of a finger, and start scanning.

- Powered by Ultrasound-on-Chip™ technology, it includes 5 imaging modes with distinct applications across specialties: B-mode, M-mode, Color Doppler, Power Doppler, and Pulsed-Wave Doppler
- Always ready when it is needed, device has been proven by military-grade testing to withstand being dropped from waist length
- Water- and dust-resistant
- Equipped with a replaceable stomp and compression-tested cable
- Annual memberships tailored to meet any needs, whether for an individual or a team. Most include features such as unlimited cloud storage, education, collaboration, diagnostic, and procedural tools

#IQ+LBLK, Butterfly IQ+ with Lightning Cable (143-7089).....	ea	#SUB-00001-S, Pro Individual Membership (143-7083).....	ea
#IQ+CBLK, Butterfly IQ+ with USB-C Cable (143-7090).....	ea	#SUB-00016-T, Teams Membership Base License (143-7085).....	ea



Aaron® Surgi-CenterPro Electrosurgical Generator

The Aaron® Surgi-CenterPro is a 200-watt, high-power operating-room generator. The unit incorporates the power and safety of a premium OR generator at a significant savings to the medical facility. The system delivers 12 monopolar and bipolar RF energy modalities to provide a high level of surgical precision.

- Offers pure cut, 4 modes of blend, 3 modes of coagulation, bipolar coagulation, and Bovie FCFS® technology
- Designed with state-of-the-art safety features
- Backed by a 4-year manufacturer's limited warranty

#A2350
(124-9073)..... ea



Aaron® Smoke Shark™ Smoke Evacuator

Designed to be easy to use and is extremely effective at smoke and particle removal at the operative site. While designed for use with all electrosurgical generators, it is also excellent for use in controlling laser smoke.

- Easy to operate
- Quiet and effective smoke evacuation
- Long-life, 18-hour filter
- Low cost per procedure
- Excellent particle capture

#SE02
(119-3868)..... ea

Aspen Surgical® Electrosurgery Solutions

Electrosurgery



SURGI-CENTER PRO™



OR PRO 300™



SMOKE SHARK® II
WITH BOVIE® ORCA®

Contact your Henry Schein Sales Representative at
www.henryschein.com/medical to purchase yours today!


122-9913 | OR PRO A3350 ELECTROSURGICAL GENERATOR | 1/EA
124-9073 | SURGI-CENTER PRO A2350 ELECTROSURGICAL GENERATOR | 1/EA
119-3868 | SMOKE SHARK® II SMOKE EVACUATOR | 1/EA
139-6511 | BOVIE® ORCA® INTEGRATED SMOKE EVACUATION PENCIL | 10/BOX



©2024 Aspen Surgical Products, Inc., ALL RIGHTS RESERVED M-SM-ADV-1167129, Rev I



Hyfrecator® 2000 Electrosurgical System



Meet CONMED's uniquely powerful ESU.

The Hyfrecator® 2000 Electrosurgical System is a multi-function electrosurgical generator with both monopolar and bipolar modes, self-diagnostics, and recall of stored power settings.

- Low powered and compact for ease of use
- Precisely controlled power output
- Dual microprocessing technology for safe operation

Choose the ESU that's been trusted for office-based procedures for over 20 years.

Contact Customer Experience today to get Hyfrecator® in your practice.



Hyfrecator® 2000

Electrosurgical Unit

Dual-microprocessor technology makes it one of the safest units for in-office procedures. Controlled Tissue Response™ minimizes tissue damage, resulting in excellent clinical outcomes. Over \$100 in accessories included at no extra charge.

- Procedural versatility: With a multitude of applications in such diverse specialties as dermatology, plastic surgery, gynecology, dental and oral surgery, ophthalmology, otolaryngology, proctology, and urology, this unit lets you perform a wide variety of desiccation, fulguration, and coagulation office procedures. Includes 50 blunt and 50 sharp, non-sterile disposable hyfrecator tips

- Precise power settings: Digital 2/10 incremental readouts in the critical 0–5-watt low-power range enhance your skill, accuracy, and control when performing delicate procedures
- Convenient fingertip control: ergonomic, handheld pencil enables you to remotely activate the unit and make rapid or slow power adjustments

Complete Unit

(520-9134).....ea
Contains: 1 remote control, 1-#7-800-5 reusable switching pencil, 2 Electrolase® disposable electrodes (1 of ea: #7-100-12 sharp & #7-101-12 blunt), 2-#7-796-19 sterile sheaths, 2-#7-796-18 non-sterile sheaths, 1-#7-796-20 wall-mounting kit & 1 operator's manual.



Hyfrecator® Pencil Sheaths

For use with all models of Hyfrecator electrosurgical units.

#7-796-19, Sterile, 3'.....25/box
(520-9814)
#7-796-18, Non-sterile, 8".....100/box
(686-4301)



HENRY SCHEIN® **High-Frequency Desiccator**

Designed and engineered to be the most reliable and durable desiccator available today, this unit's life is prolonged by incorporating the latest in chip technology and reducing the number of internal parts, thereby generating less internal heat. Post-procedure and long-term cleanup are simplified by its nonabsorbing, nonstaining, high-impact plastic case.

- 40-watt high-frequency desiccator
- Adjustable in 1/10-watt increments in the first 10 watts, in monopolar and bipolar
- More accurate power with Universal Power Control 100–240-volt AC
- Less to do and less to buy makes this the most cost-effective and user-friendly unit on the market
- This desiccator is a ground reference unit, which means no grounding pad is required
- 4-year warranty

#A942
(570-0583).....ea



HENRY SCHEIN® **Electrosurgical Generator and High-Frequency Desiccator**

This electrosurgical generator is a high-frequency desiccator with cutting ability. One half of the unit is the Henry Schein High Frequency Desiccator.

The other half is an electrosurgical generator that features 50 watts of cutting power and coag capabilities—plenty of power for most cutting procedures performed in the doctor's office.

- 40-watt high-frequency desiccator
- 2 machines in 1 convenient package
- Adjustable in 1/10-watt increments in the first 10 watts, in monopolar and bipolar
- No grounding pad is required during desiccation mode
- 4-year warranty

#A952
(570-0582).....ea

HENRY SCHEIN® **Desiccator Tips**

Utilize the standard 3/32" (2.4 mm) stainless steel shaft. All molded electrodes feature safety-grip insulators combining patient and user safety with easy insertion into and removal from the surgical pencil.

- | | |
|--|---------|
| Sharp Dermal Tips, Non-Sterile (Bulk Packaged) (112-7171)..... | 100/box |
| Sharp Dermal Tips, Sterile (Packaged Individually) (112-7172)..... | 50/box |
| Blunt Dermal Tips, Non-Sterile (Bulk Packaged) (112-7173)..... | 100/box |
| Blunt Dermal Tips, Sterile (Packaged Individually) (112-7175)..... | 50/box |
| Disposable Handpiece Sheaths, Sterile (112-7176)..... | 25/box |
| Sharp H-Type Tip, Sterile (Packaged Individually) (570-0888)..... | 50/box |
| Sharp H-Type Tip, Non-Sterile (Bulk Packaged) (570-0890)..... | 100/box |
| Blunt H-Type Tip, Sterile (Packaged Individually) (570-0889)..... | 50/box |
| Sharp H-Type Tip, Non-Sterile (Bulk Packaged) (570-0891)..... | 100/box |



HENRY SCHEIN®

Together, we can build a healthier world for all.

Practice Green is designed to empower the health care community to positively impact the future of the planet by reducing the ecological footprint and promoting sustainability—both in daily life and while at work.

A product included in the Practice Green portfolio has been carefully selected by Henry Schein as “green” based on the product information provided by the supplier partner that it is either reusable, contains recycled materials, can be recycled, is biodegradable, or is from a sustainable source.

Scan the QR code to learn more, or visit
www.henryschein.com/PracticeGreen



© 2024 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. 24DS3152_M



Midmark M11[®] Steam Sterilizer

The M11 is engineered with user-friendly features to simplify compliance, streamline cycle operations, and enhance device care tracking. These improvements help minimize transcription and documentation errors, which can account for up to 56% of sterilization issues. Automated mechanical monitoring and chemical indicator reporting not only save time but also facilitate easier staff training, instilling confidence in the sterilization process.

Key features:

- 5" fingerprint-resistant touchscreen allows for easy navigation of cycle setup and other operations, even while wearing gloves. Users can choose between light and dark modes to suit their preferences.
- Stay prepared for audits with built-in reminders, notifications, and user authentication. The sterilizer offers unlimited storage for routine care events throughout its lifespan, along with automated cycle recordkeeping.
- Midmark sterilizers are built to last, with an upgraded chamber design that extends the device's life to 25,000 cycles. This can reduce the need for maintenance by both users and certified technicians by more than half.
- Height: 18.6" (47.2 cm), Width: 17.8" (45.2 cm)
- Chamber dimensions: 11" x 18" (27.9 cm x 45.7 cm)
- Water reservoir capacity: Full: 1.4 gal (5.3 liter); Usable: 0.8 gal (3 liter)

M11-050, 115 Volt

(147-0783)..... ea

M11-051, 230 Volt

(147-0784)..... ea



Midmark M9[®] Steam Sterilizer


The M9 is engineered with user-friendly features to simplify compliance, streamline cycle operations, and enhance device care tracking. These improvements help minimize transcription and documentation errors, which can account for up to 56% of sterilization issues. Automated mechanical monitoring and chemical indicator reporting not only save time but also facilitate easier staff training, instilling confidence in the sterilization process.

Key features:

- 5" fingerprint-resistant touchscreen allows for easy navigation of cycle setup and other operations, even while wearing gloves. Users can choose between light and dark modes to suit their preferences.
- Stay prepared for audits with built-in reminders, notifications, and user authentication. The sterilizer offers unlimited storage for routine care events throughout its lifespan, along with automated cycle recordkeeping.
- Midmark sterilizers are built to last, with an upgraded chamber design that extends the device's life to 25,000 cycles. This can reduce the need for maintenance by both users and certified technicians by more than half.
- Height: 16.6" (42.2 cm); Width: 15.8" (40.1 cm)
- Chamber dimensions: 9" x 15" (22.9 cm x 38.1 cm)
- Water reservoir capacity: Full : 1.1 gal (4.1 liter); Usable: 0.6 gal (2.3 liter)

#M9-050, 115 Volt

(147-0782)..... ea



Vistacool[™] Direct to-Drain Cooling System for Autoclave Wastewater

Efficiently cools sterilizer wastewater before safely directing it to the drain. This non-electric, self-monitoring, and self-regulating system allows users to focus more on patient care and less on equipment maintenance.

Key benefits:

- Eliminates the need to handle hot wastewater tanks, preventing potential injuries and avoiding damage to cabinetry from spills or overflows
- Prevents scalding hot wastewater from damaging plumbing with built-in backflow prevention that meets or exceeds local plumbing codes
- Automates a time-consuming task with a simple, self-monitored system, reducing the need for manual intervention
- Dimensions (including fittings): 4"W x 13"L x 17"H (10.2 cm x 33.1 cm x 43.2 cm)
- Tank volume: 3 gal (11.4 liter)

#9A586002

(142-4954)..... ea



Cool Hand Tool

Attaches to trays and cassettes, helping to minimize the risk of injury for the user when loading or unloading the sterilizer.

#9A307001

(934-6594)..... ea



The Next Generation of Midmark® Steam Sterilizers

Midmark Steam Sterilizers are designed inside and out to make instrument processing as easy and as automated as possible.

- 01** Navigate cycle setup and other processes with a clear, fingerprint-resistant 5-inch touchscreen you can utilize while wearing gloves.
- 02** Determine cycle status—cycle in progress, cycle complete and cycle error—from a distance with a progressing color-coded LED light bar, large cycle countdown clock and audible cues.
- 03** Stay audit-ready with device reminders, user authentication, unlimited storage of routine care events for the life of the sterilizer, and automated cycle recordkeeping.

For more information, visit: henryschein.com/medical



Your day is busy enough.
Let us do the dirty work for you.



nanosonics
Infection Prevention. For Life.



Automated. Simple. 1,300+ compatible probes.

5,000+ North America facilities trust the leader
in ultrasound probe high level disinfection.

trophon 2 - (142-4635)

© Nanosonics Limited. All rights reserved. 2048341-USA-FLY-v1 Aug 2024

nanosonics
Infection Prevention. For Life.



trophon[®]2 Ultrasound Probe Disinfection Device

This fully enclosed, automated high-level disinfection (HLD) system streamlines workflow with a simple, fast, and integrated solution. Designed specifically for patient examination rooms, the trophon2 enables efficient point-of-care reprocessing.

Key features include:

- Enhanced user compliance and audit readiness through automation, with comprehensive data capture throughout the reprocessing workflow
- AcuTrace[®] RFID technology that records operator, probe, and cycle data to ensure and demonstrate compliance
- A printer that generates labels with AcuTrace inputs and disinfection results
- The ability to download disinfection records to a USB
- An enclosed system with an easy-close door that seals automatically
- A safe-to-handle disinfection cartridge operable with gloves
- No special ventilation requirements
- Environmentally friendly design for safe and easy disposal
- Compatible with more than 1,300 ultrasound probes; approved and endorsed by 26 probe manufacturers

#N05000-US

(142-4635).....ea



nanosonics
Infection Prevention. For Life.

trophon Chemical Indicator

This indicator provides an independent confirmation of the success of each trophon disinfection cycle. The chemical indicator packaging includes AcuTrace[®] technology, enabling the recording and storage of batch and expiration details directly in the trophon2 device.

#N05003

(142-4646).....ea



nanosonics
Infection Prevention. For Life.

trophon Sonex-HL[®] Disinfectant

This proprietary disinfectant liquid contains 35% hydrogen peroxide, formulated for effective high-level disinfection (HLD) of the entire ultrasound probe, including the shaft and handle. The disinfectant packaging features AcuTrace[®] technology, allowing batch and expiration details to be stored directly in the trophon2 device.

#N05002

(142-4628).....ea



nanosonics
Infection Prevention. For Life.

trophon Printer

The trophon printer is a convenient traceability solution that prints high-quality disinfection labels for each cycle. The labels are suitable for medical records and have a minimum lifespan of 7 years.

#N00048-US, Printer

(142-4643).....ea

#N00049-ROW, Printer Label Roll

(142-4648).....ea



Dart® Daily Air Removal Test

An easy and accurate way to test air removal and steam penetration in prevacuum steam sterilizers. This easy-to-use product is a lightweight, compact, one-piece system that is preassembled and ready for use. It eliminates the need to spend time folding towels and preparing packs necessary for traditional Bowie Dick Test Packs. Most important, the Dart Daily Air Removal Test is reproducible—inconsistencies associated with traditional Bowie Dick Test Packs are eliminated.

- Results are immediately visible and easy to read through the clear vial
- Indicator strip is easy to retrieve and can be stored as a permanent record

#NB215
(353-2113)..... 10/box
(352-8926)..... 50/case

AtmosAir™

Breathing Is Believing

Potential Benefits:

Superior reduction of particles and spores that can trigger allergy and asthma symptoms. Proven reduction of staphylococcus and related MRSA and other microbials. Continuous 24/7 use offers enhanced protection against mold, bacteria, allergies, germs, and more. Elimination of distracting odors in waiting rooms, emergency admissions, patient rooms, cafeterias, food service areas, soiled linen areas, trash storage areas, and more. Potential energy savings through reduced outside make-up air. Unmatched contaminant removal ability can allow enhanced indoor air quality (IAQ) without restrictions to airflow typical of filtration. Saves on HVAC operating costs.

- Waiting rooms, patient rooms, critical care, soiled linen, cafeterias, food service, and rehabilitation areas
- Portable units for direct solutions, as well as in-duct systems for whole areas
- Enhanced IAQ without increase in operating costs and energy use
- Improved IAQ will yield reductions in absenteeism and increased productivity of staff

D100, Duct System, 2000 sq ft
(420-0006)..... ea



PowerFlo™ 50 Hydration System

Proper hydration and heat-related illnesses are always issues when dealing with athletes, just like dependability, safety, and storage are always issues when considering a piece of equipment. Built to satisfy all these demands and help keep your players safe and on the field. Power-coated metal cart provides an excellent platform for the 50-gal tank. Its durability is matched by the unique antitip autosteering system and 10 pneumatic tires. Utilizing the same proven pump and battery system of the PowerFlo allows for easy access to replacement parts when it is time to service the unit. Every component of this unit that comes into contact with the water is either water-potable or made of an FDA-approved material for drinking water.

Hydration System
(698-0008)..... ea
Manifold Replacement
(698-0014)..... ea

Manifold Clamp Replacement
(698-0021)..... ea
Coiled Hoses
(698-0038)..... ea



Parts for Waterboy Sports Products

#WP-1, Water Pump, 12-volt, EPA-Compliant
(316-0622)..... ea
#PN-1, Nozzle with Straight Hose for Spigot-Fed Systems
(316-6449)..... ea
#PN-2, Nozzle with Straight Hose for Horizontal Power Systems
(132-5759)..... ea
#BT-12, Battery, 12-volt, Rechargeable
(316-0279)..... ea
#BC-15, Battery Charger, 12-volt
(316-9845)..... ea
#COL-5, Collars and O-Rings, 5-Pack
(132-5760)..... ea



accucold.

Pharma-Vac Performance Series Vaccine Refrigerators

This line of refrigerators supports meeting regulations and guidelines from the CDC, State Agencies, World Health Organization, and other health ministries on vaccine storage and handling. Designed with a hydrocarbon refrigerant, they provide an energy-efficient solution to vaccine storage. Units are Pyxis, Omnicell, and AcuDose RX compatible.

- Certified to the NSF/ANSI 456 Vaccine Storage Standard
- Adjustable-cycle defrost operation ensures the unit avoids temperature spikes and ice buildup
- Battery-powered alarm sounds if the power connection is interrupted
- Digital controls with a large LED readout in Celsius or Fahrenheit for intuitive temperature management
- Multiple shelf positions spaced at ½" to accommodate virtually any size
- Ecofriendly hydrocarbon-based refrigerant for a greener footprint that meets current CARB regulations
- Environmentally friendly design without ozone-damaging chemicals

#ARG1PV456, 1-cu-ft Compact	
(143-5669).....	ea
#ARG15PV456, 15-cu-ft Upright	
(143-5665).....	ea
#ARG18PV456, 18-cu-ft Upright	
(143-5753).....	ea



ABS American BioTech Supply

General-Purpose Freestanding Undercounter Refrigerator

Intended for general-purpose applications only where precise temperature control and maintenance are not essential and there are no requirements for temperature alarms.

- Swing door with keyed door lock
- 3 shelves (1 fixed/2 adjustable)
- Interior light
- HFC-free refrigerant (R600A), foam insulation, and packaging
- UL/C-UL listed
- Temperature range: 0°C to 10°C
- Capacity: 5 cu ft
- Exterior dimensions: 20¼"W x 22" D x 31½"H
- 1-year parts and labor warranty

#ABT-HC-UCFS-0504W
(125-4697)..... ea

This unit must have 4" clearance on sides and back for adequate ventilation.



HENRY SCHEIN®

Vaccine Temperature Data Logger

- High accuracy
- 24 million readings
- Maximum of 170 files (.csv)
- Internal (ambient) and external (fridge/freezer) sensors reading display
- Minimum and maximum reading memories
- Low and high alarm limits setting
- Flashing light alarm indicator
- °C or °F scale
- Real-time display
- Waterproof external sensor
- Low battery indicator
- Removable SD memory card or USB interface for data retrieval
- Optional external power

(570-2722)..... ea



i.Series® iPR120-GX Pharmacy Refrigerator

20.2-cu-ft Capacity, Glass Door, 2 to 10°C

GX Solutions and the i.C3® Information Center set i.Series® models apart by providing a professional medical-grade refrigerator with advanced monitoring and control. This pharmaceutical-grade refrigerator is designed for storing medications, vaccines, and other pharmaceuticals. It is NSF/ANSI 456 vaccine storage-certified and provides superior stability, uniformity, and recovery. It also has the added benefits of quiet operation, low heat output, and energy savings, all thanks to the advanced OptiCool® technology.

- Provides continuous temperature monitoring, event logs, temperature graphs, and more
- Designed specifically for the central pharmacy, medication rooms, clean rooms, satellite locations, and outpatient clinics
- 50–65% more efficient than traditional technology
- Quiet operation (47 dB) to create fewer distractions and better working environment
- Audible and visual alarms include power failure, high- and low-temperature alarms, door ajar, condenser temperature, and low battery
- Includes Certificate of Calibration generated with an ISO 17025 reference thermometer
- Energy Star® certified

#5115120-1

(141-8672).....ea



i.Series® iLF105-GX Laboratory Freezer

5.3-cu-ft Capacity, Solid Door, -15 to -30°C

A GX Solutions professional medical-grade, -30°C freezer. Designed for the unique needs of critical health care applications, such as storing samples, reagents, controls, and frozen vaccines. It delivers optimized control in 3 important areas: temperature, noise, and energy management.

- Powered by OptiCool® technology, this freezer provides improved performance and user experience through energy efficiency, low noise levels, and stable storage environments to safeguard valuable patient samples, frozen vaccines, and more
- 30% more efficient than traditional technology
- Digital microprocessor temperature controller, with built-in alarms, includes minimum/maximum display and reset
- Energy Star® certified
- Powerful i.C3® Information Center is exclusive to i.Series® models and provides constant temperature monitoring, multiple information logs, and security features
- GX Solutions is the first professional medical-grade line of freezers for clinical laboratories, pharmacies, and other health care facilities
- NSF/ANSI 456 Vaccine Storage Standard certified

#5222105-1

(141-9439).....ea




High-Performance Undercounter Medical Freezer

Designed to maintain temperatures between 5°F and -13°F (-15°C and -25°C) with a tight uniformity of ±5°C for storing critical vaccines and biologics, this model is engineered to meet CDC guidelines in a small footprint. Precise temperature control and uniformity protect vaccine and biologic viability whether the unit is loaded or empty.

- Capacity: 5 cubic ft
- 3 coated steel wire shelves: 19.2" x 14.75"
- Temperature control range: 5°F to -13°F (-15°C to -25°C) in 0.1°C increments
- Alarms: high/low temperature
- Refrigerant: 6-600a
- Door swing: right hinge
- Exterior dimensions: 34.1"H x 23.8"W x 23.7"D
- Interior dimensions: 25.6"H x 19.9"W x 17.1"D

#PF-L5181W-PA

(141-5626).....ea




Small Medical Refrigerator

This laboratory undercounter refrigerator combines high-performance temperature control with environmentally friendly refrigerants and energy efficiency. Precision temperature control and uniformity prevent the interior from cooling below freezing and risking vaccine and biologic viability, whether the unit is loaded or empty. Engineered to meet the strict regulatory guidelines of the CDC, ANSI, and NSF.

- Exterior dimensions: 34.1"H x 23.5"W x 23.7"D
- Interior dimensions: 25.6"H x 19.9"W x 17.1"D
- Capacity: 5 cubic ft
- Refrigerant: R-600a
- 36° to 46°F (2°C to 8°C)
- High/low temperature alarm

#PR-L5181W-PA

(140-3362).....ea






XN-L™ Automated Hematology Analyzers

Features:

- 6-part differential including immature granulocyte
- Optional reticulocyte and body fluid licenses on select models
- Onboard rules
- BeyondCare quality monitor: an innovative, web-based quality control and calibration management program



#XN-330, Hematology Analyzer (129-1338).....	ea
#XN-430, Hematology Analyzer (129-1344).....	ea
#XN-350, Hematology Analyzer (129-1322).....	ea

#XN-450, Hematology Analyzer
(129-1323).....ea

#XN-550, Hematology Analyzer
(Includes automated sample loader)
(129-1343).....ea

XN-L™ Reagents
#DCL-310A, Cellpack™, 10 Liter
(398-0055).....ea

#BJ350971, Sulfolyser™, 2 x 1.5 Liter
(119-7752).....ea

#ZA900001, Lysercell™ WDF, 5 Liter
(398-0053).....ea

#CV377552, Fluorocell™ WDF, 2 x 42 mL
(119-7776).....ea



XP-300™ Automated Hematology Analyzer

With its simplified operation, the robust and reliable XP-300 is ideal for clinics, satellite laboratories and research testing. It provides a complete blood count (CBC) with 17 different parameters, including a 3-part white blood count (WBC) differential with an absolute neutrophil count (ANC). The XP-300 also comes in Plus and Linc models, both of which are HL7-ready for the EMR. The Plus model's software package includes a color touchscreen laptop with a unidirectional instrument interface. The Linc software package includes a desktop platform with a bidirectional interface.

- 3-part differential
- Only 2 reagents
- 50-µl sample volume
- 60 samples per hour
- Bar code reader and graphic printer standard
- Onsite implementation
- Additional features on the XP-300+M include:
 - Automatic QC assay value upload
 - EMR bidirectional interface, HL7 ready
 - Multiple site connectivity to EMR
 - Unlimited reference range programmable files
 - Option for up to 5 additional instrument interfaces
 - QC module
 - Printable reports
 - Multiple patient demographic fields



#XP300-LAB-KIT, XP-300™ Analyzer
(120-7149).....ea

#CPK-310A, Cellpack 10L
(118-9871).....ea

#SWH-200A, Stromatolyser® WH3 x 500 mL
(118-9879).....ea

#XP-300+M, XP-300 Analyzer with Medicus
Middleware
(127-2118).....ea



DxC700 AU Chemistry Analyzer with ISE

Get the right results at the right time with one high-performing system. This chemistry analyzer was designed with input from clinical laboratory professionals, and created to deliver maximized uptime, high reliability, and precise performance.

- Prioritization of urgent tests with STAT interrupt feature provides optimal turnaround time
- Easy operator maintenance with "3 & 60"—consumables are replaced in 3 steps within 60 seconds
- Utilizes concentrated reagents to reduce storage space requirements
- Long-lasting ISE (ion selective electrodes) that last a minimum of 6 months or 40,000 samples

#B98654
(129-1099).....ea

CLINICAL CHEMISTRY, IMMUNOASSAY AND INTEGRATED SYSTEMS TO **TRANSFORM YOUR LABORATORY**

The Alinity ci-series consists of compact, **scalable systems** to **maximize throughput** and **efficiency**, making today's high-performing laboratories run at their best, today and into the future.



Alinity c
Clinical Chemistry



Alinity i
Immunoassay



Alinity ci-series
Integrated Clinical Chemistry
and Immunoassay



To Order: **1-800-772-4346** 8am–8pm (et)
henryschein.com/medical

*California customers please use website
 when ordering for Prop 65 information.*

Due to manufacturer price increases, prices are subject to change without notification. Offer valid on our full array of products. Upon any request by Medicare, Medicaid, Tricare or other payer, you must report the value of any benefit received from a discount program (e.g., points redemptions, gifts or other special awards). ©2024 Henry Schein, Inc. No copying without permission.

Not responsible for typographical errors. No adjustments from prior sales. Offer not to be combined with other promotions and/or special contract pricing. Void where prohibited. Local regulatory requirements may apply to use or installation of certain products. It is your responsibility to understand and comply with any such requirements prior to purchase, use or installation of products.

*For informational purposes only.

Source: ReimbursementCodes.com and/or www.cms.gov.

Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances.

PRSR STD
 U.S. POSTAGE

PAID

HENRY SCHEIN, INC.



Equipment Finance **Made Easy**

CUSTOMIZED FINANCING SOLUTIONS TO **EXPAND, UPGRADE, AND ENHANCE YOUR PRACTICE**

OUR FINANCING BENEFITS INCLUDE:

- ✓ 100% Financing*
- ✓ Up to 6-month Payment Deferrals
- ✓ Customized Repayment Programs
- ✓ Same-Day Approvals and Documentation
- ✓ Simple, Fast Application Process

PLUS

Take advantage of Section 179 and get a possible tax deduction for up to 100% of your purchase on your 2024 taxes for new equipment, technology, or other qualifying purchases.**



Contact us today to schedule a consultation today **to learn more about how we can support your growth and success**

Scan the QR code to learn more

Disclaimer:

* Rates and programs are subject to change without notice. All transactions are subject to the satisfaction of underwriting guidelines, credit approval by third-party lenders, and documentation requirements, and not all applicants will qualify. Certain other restrictions and additional terms and conditions may apply. ** Neither Henry Schein, Inc. nor Henry Schein Financial Services provides tax advice. Please consult with a qualified professional tax advisor to determine your eligibility for a Section 179 tax deduction. Must purchase and place into service by December 31, 2024. ©2024 Henry Schein, Inc. Neither Henry Schein, Inc. nor Henry Schein Financial Services provides financial advice. Please consult your financial advisor. Neither Henry Schein, Inc. nor Henry Schein Financial Services is a bank and neither represents itself as such, nor conducts banking activities. Henry Schein Financial Services may receive a marketing fee from the vendor for products/services purchased. "World's Most Ethical Companies" and "Ethisphere" names and marks are registered trademarks of Ethisphere LLC.